

What is a coupling capacitor (C C)?

A coupling capacitor (C C) is a very common coupling method when performing a PD measurement as described in the IEC 60270 standard. When a partial discharge event occurs, the coupling capacitor provides the devices under test (DUT) with a displacement current, which is measurable at the coupling devices (CPL).

How does a coupling capacitor measure a partial discharge?

When a partial discharge event occurs, the coupling capacitor provides the devices under test (DUT) with a displacement current, which is measurable at the coupling devices (CPL). Such an approach provides additional information about the test discharge (PRPD) measurement. OMICRON offers standard coupling capacitors from 12 kV up to 100 kV.

How to simulate capacitive coupling between two side-by-side metal wires?

The capacitive coupling between the two side-by-side metal wires located in the same layer has been simulated with the actual layouts using a 2D extraction tool and a 3D field solver (i.e. Calibre xRC and Calibre xACT 3D with high accuracy mode, respectively), and the corresponding results are shown in Fig. 2.

How do you measure a coupling capacitor discharge (PRPD)?

discharge (PRPD) measurement. OMICRON offers standard coupling capacitors from 12 kV up to 100 kV. When using a coupling capacitor without an integrated measuring impedance, the low side of the coupling capacitor has to be connected to the input of the CPL measuring impedance (basic test setup with measurement on ground potential).

Is there a mechanism for side-by-side coupling?

The mechanism of the side-by-side coupling is generally known, however, the layer-to-layer coupling and the comparison of the layout impacts have not been well established. This paper presents modeling of parasitic mutual coupling to analyze the parasitic capacitance directly coupled between two on-chip metal wires.

How do I use a CPL impedance box & MPD data acquisition unit?

Connect the PD output of the CPL measuring impedance to the PD input of the MPD data acquisition unit, and do the same for the testing voltage. The CPL impedance box and MPD acquisition unit can be placed on various positions, such as on HV potential or within the test object path due to the fiber optic approach.

This example demonstrates how to build 3D full-wave models for the AC coupling capacitor mounting structures and how to build a system-level model of a simple channel with AC coupling capacitors Simbeor 2007 electromagnetic solver from Simberian Inc. and HyperLynx+Eldo ...

2 Analysis of Possible Causes The capacitor set of CVT is formed by 1 to 4 coupling capacitors and capacitor

voltage dividers. Each coupling capacitor or capacitor voltage divider is equipped with dozens of capacitor component connected in series and sealed with diphenylethane. All capacitor components of

Chapter 5 contains an analysis of the capacitive coupling experienced by the two longest buses on the microprocessor chip. Chapter 6 provides a comparison of capacitive coupling effects as estimated with simulations against the same effects as measured with physical test chip data.

Chapter 5 contains an analysis of the capacitive coupling experienced by the two longest buses on the microprocessor chip. Chapter 6 provides a comparison of capacitive coupling effects as ...

Abstract: A method for selecting a set of coupling and by-pass capacitors is presented. The approach uses short-circuit time-constant analysis and for a given -3 dB cut-off frequency minimises the total capacitance used. This study offers a derivation of design formulas and shows their use via examples.

This study proposes a capacitive coupling structure that is different from the previous capacitive power transfer (CPT) structures. The proposed structure can allow the positional variation of the receiver, and multiple receivers to be charged at the same time.

Mounting structures with 4 and 6 vias are created in similar way and contain 2 coaxial ports. Final 2-port, 3-port and 4-port models for the mounting structures can be produced similar to the case with planes next to the board surface (see examples of the models in the solution files) Capacitor mounting structure to be simulated to investigate

A capacitor is an electronic component capable of storing electricity. It stores energy in the form of flowing electrons. There are different types of capacitors, and they are used for different purposes. Below is a ...

capacitor is denoted by . The voltage-gain transfer function is defined as where and are the input and output signal voltage, respectively. Moreover, GBW stands for the gain-bandwidth product and PM for the phase margin. 2) Assumptions: Due to the complicated compensation structures, the transfer functions are generally very complicated

In this paper, we design a novel capacitive coupling structure and its circuit model, which can be applied in battery charging for miniaturised devices such as wireless sensors as shown in Fig. 1d. The structure consists of two sets of metal plates that are formed by the primary plates and the pickup plates.

This structure can be further simplified by infusing the coupling capacitors/inductors into the main structure as shown in Figure 1 c.

The capacitive coupling of interconnections is embedded in the layout structures of high voltage power MOSFETs. The previously investigated structures such as overlapping circular-gate structure [7], octagonal

structure [8], hexagonal structure [9], waffle-shaped structure [10], and hybrid waffle structure

This study proposes a capacitive coupling structure that is different from the previous capacitive power transfer (CPT) structures. The proposed structure can allow the positional variation of the receiver, and multiple receivers to be charged at the same time. ... In this study, all coupling capacitors between the plates are considered and the ...

3.1 Structure of OIP Capacitor Bushings. In this paper, 110 kV OIP capacitor transformer bushing was used as the research object, and COMSOL simulation software was used to establish the bushing model under the electric-thermal coupling action. ... Liu, D., Zou, B., Hua, X. (2024). Electro-Thermal Coupling Analysis of OIP Capacitor Bushing ...

With the simulated results analysis, the influence of marine environmental parameters (temperature, salinity) on equivalent seawater capacitance and the equivalent input impedance are summarized in this paper. This paper could be presented as the reference for the coupling capacitor structure design for the UCWPT system. ??

Abstract: A method for selecting a set of coupling and by-pass capacitors is presented. The approach uses short-circuit time-constant analysis and for a given -3 dB cut-off frequency ...

Web: <https://oko-pruszkow.pl>